

# Project Clean

a naturally better tomorrow

## Safety Data Sheet Sections

SECTION 1: IDENTIFICATION .....	2
SECTION 2: HAZARD IDENTIFICATION.....	2
PRECAUTIONARY STATEMENTS .....	2
SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS .....	3
SECTION 4: FIRST-AID MEASURES.....	3
SECTION 5: FIRE-FIGHTING MEASURES.....	4
SECTION 6: ACCIDENTAL RELEASE MEASURES .....	4
SECTION 7: HANDLING AND STORAGE .....	5
SECTION 8: EXPOSURE CONTROLS / PERSONAL PROTECTION .....	5
EXPOSURE LIMITS: .....	5
INDIVIDUAL PROTECTION MEASURES / PERSONAL PROTECTIVE EQUIPMENT .....	5
SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES .....	5
SECTION 10: STABILITY AND REACTIVITY .....	6
SECTION 11: TOXICOLOGICAL INFORMATION .....	6
SECTION 12: ECOLOGICAL INFORMATION.....	7
SECTION 13: DISPOSAL CONSIDERATIONS.....	8
SECTION 14: TRANSPORT INFORMATION .....	8
SECTION 15: REGULATORY INFORMATION.....	9
SECTION 16: OTHER INFORMATION .....	9
ACRONYM LIST .....	9

**PREPARED BY:**


Regulatory Division  
Project Clean Inc.  
(formerly Maxim Chemical International Inc.)

**LAST UPDATE:**

2020-05-15

SECTION 1: IDENTIFICATION	
Product Trade Name:	Project Clean Biodegradable Disinfectant
Product Code:	
Recommended Use:	Ecologo™ certified concentrated peroxide-based cleaner. Canada Drug Identification Number (DIN) #
Restrictions on Use:	For Food Plant, Industrial and Institutional use only
Manufacturer Name:	Project Clean Inc.
Manufacturer Address:	1607 Derwent Way, Delta, B.C. Canada V3M 6K8
Manufacturer Phone Number:	<a href="tel:800-663-9925">800-663-9925</a>
Email Address of Competent Person Responsible for the SDS:	<a href="mailto:regulatory@projectclean.com">regulatory@projectclean.com</a>
Emergency Phone Number/ 24-Hour Number:	Canada: Canutec <a href="tel:613-996-6666">613-996-6666</a> U.S.A.: Chemtrec <a href="tel:800-424-9300">800-424-9300</a>

[Back to Top](#)

SECTION 2: HAZARD IDENTIFICATION	
Physical Hazards:	NONE
Health Hazards:	SKIN CORROSION/ IRRITATION – Category 2A
	EYE DAMAGE/ IRRITATION – Category 2A
	SPECIFIC TARGET ORGAN TOXICITY (SINGLE EXPOSURE) – Category 3
	SENSITIZATION – SKIN – Category 1
Symbol:	
Signal word:	WARNING
Hazard Statement:	H315 Causes skin irritation.
	H319 Causes serious eye irritation.
	H335 May cause respiratory irritation.
	H317 May cause an allergic skin reaction.
PRECAUTIONARY STATEMENTS	
Prevention:	P264 Wash hands and affected area thoroughly after handling.
	P280 Wear eye protection and protective gloves.
	P261 Avoid breathing fume/ mist/ vapours/ spray.
	P271 Use only outdoors or in a well-ventilated area.

PREPARED BY:

Regulatory Division

Project Clean Inc.

(formerly Maxim Chemical International Inc.)

Page 2 of 10

LAST UPDATE:

2020-05-15

SECTION 2: HAZARD IDENTIFICATION	
	P272 Contaminated work clothing should not be allowed out of the workplace.
<b>Responses:</b>	P302 + P352 IF ON SKIN: Wash with plenty water.
	P321 Specific treatment (see supplemental first aid information on this label).
	P333 + P317 + P362 + P364 If skin irritation or rash occurs: Get medical help. Take off contaminated clothing and wash it before reuse.
	P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
	P337 + P317 If eye irritation persists: Get medical help.
	P304 + P340 + P319 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Get medical help if you feel unwell.
	P312 Specific treatment (see supplement first aid information on this label).
<b>Storage:</b>	P403 + P233 Store in a well-ventilated place. Keep container tightly closed.
	P405 Store locked up.
<b>Disposal:</b>	P501 Dispose of contents/ container to an approved waste disposal plant.

[Back to Top](#)

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS		
Ingredient	Approx. Wt.%	CAS Number
Hydrogen Peroxide	5-10	7722-84-1
Alcohol Ethoxylate	5-10	68991-48-0
D-Limonene	0.1-1	5989-27-5

[Back to Top](#)

SECTION 4: FIRST-AID MEASURES	
<b>General Information:</b>	Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance.
<b>Inhalation:</b>	Immediately remove the affected victim to fresh air. If symptoms persist, obtain medical attention.
<b>Skin Contact:</b>	Immediately flush exposed area with plenty of water for at least 10 minutes. If irritation persists, or if contact has been prolonged, obtain medical attention. Remove contaminated clothing and launder before reuse.

**PREPARED BY:**

Regulatory Division  
 Project Clean Inc.  
 (formerly Maxim Chemical International Inc.)

**LAST UPDATE:**

2020-05-15

SECTION 4: FIRST-AID MEASURES	
<b>Eye Contact:</b>	Immediately flush with warm running water for at least 15 minutes, holding eyelids open during flushing. Remove contact lenses, if present and easy to do. If irritation persists, repeat flushing and obtain medical attention immediately.
<b>Ingestion:</b>	Do not induce vomiting. If the victim is fully conscious, give plenty of clean water to drink to dilute product. Never give anything by mouth if victim is unconscious, is rapidly losing consciousness, or is convulsing. Call a Physician.
<b>Self-Protection of the First Aider:</b>	Remove all sources of ignition. Ensure that first aid personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination.
<b>Most Important Symptoms/ Effects, Acute and Delayed:</b>	<b>Ingestion:</b> None reasonably foreseeable. <b>Inhalation:</b> None reasonably foreseeable. <b>Eyes and skin:</b> Irritating to eyes and skin. Repeated or prolonged skin contact may cause defatting and drying of skin which may result in skin irritation and dermatitis.
<b>If irritation occurs or persists, get medical attention.</b>	

[Back to Top](#)

SECTION 5: FIRE-FIGHTING MEASURES	
<b>Suitable Extinguishing Media:</b>	Water fog, dry chemical powder, carbon dioxide.
<b>Unsuitable Extinguishing Media:</b>	None known.
<b>Flammability:</b>	Not flammable.
<b>Flash Point:</b>	Not flammable.
<b>Special Firefighting Procedures:</b>	Wear NIOSH/MSHA approved, self-contained breathing apparatus for firefighting situation. Use water spray to cool all nearby fire exposed surfaces. Do not use CO <sub>2</sub> extinguisher on this material.
<b>Unusual Fire / Explosion Hazards:</b>	Not flammable but can cause spontaneous combustion of flammable materials and continued support of the combustion because it liberates oxygen as it decomposes. Drying of concentrated product on clothing or other combustible material may cause fire.
<b>Hazardous Decomposition Products:</b>	Carbon dioxide, carbon monoxide.

[Back to Top](#)

SECTION 6: ACCIDENTAL RELEASE MEASURES	
<b>Environmental Protection Precautions:</b>	Do not release to the environment or water source.

**SECTION 6: ACCIDENTAL RELEASE MEASURES**

<b>Steps to be Taken in Case Material is Released or Spilled:</b>	Wear protective equipment. Soak up spills with absorbents, then dispose of in an appropriate waste container. Keep material away from sewers. Reuse if possible. Otherwise dispose recovered material in accordance with all local, Provincial or Federal regulations.
---	--

[Back to Top](#)**SECTION 7: HANDLING AND STORAGE**

<b>Precautions to be Taken in Handling and Storage:</b>	Use good industrial hygiene. Do not get in eyes, on skin or on clothing. Store in a cool, dry place away from incompatibles. Keep container closed when not in use. Do not mix with any other chemicals. Keep out of reach of children. Store at temperatures below 30°C and keep from freezing. Do not store in metal or galvanized containers.
---	--

[Back to Top](#)**SECTION 8: EXPOSURE CONTROLS / PERSONAL PROTECTION****EXPOSURE LIMITS:**

OSHA (PEL): N/A	ACGIH TLV: N/A	Other exposure limit: N/A
-----------------	----------------	---------------------------

**INDIVIDUAL PROTECTION MEASURES / PERSONAL PROTECTIVE EQUIPMENT**

<b>Appropriate Engineering Controls:</b>	Good general ventilation.
<b>Skin Protection:</b>	Hand Protection: Butyl rubber, neoprene, latex or nitrile gloves. Other Skin Protection: Personal protective equipment for the body should be selected based on the task being performed and the risks involved. Appropriate footwear should be selected based on the task being performed and the risks involved.
<b>Eye and Face Protection:</b>	Safety glasses or splash goggles.
<b>Respiratory Protection:</b>	In case of insufficient ventilation, wear suitable respiratory equipment.
<b>Other Protective Equipment:</b>	Eye wash, safety shower and full protective clothing recommended in the immediate work area.

[Back to Top](#)**SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

<b>Appearance:</b>	Clear, colourless liquid.
<b>Odour:</b>	Citrus scent.
<b>Odour threshold:</b>	N/A
<b>pH:</b>	5.5-6.5

**PREPARED BY:**

Regulatory Division  
Project Clean Inc.  
(formerly Maxim Chemical International Inc.)

**LAST UPDATE:**

2020-05-15

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES	
Melting point/Freezing point:	N/A
Initial boiling point and boiling range:	N/A
Flash Point:	> 100°C
Evaporation Rate (Water=1):	N/A
Flammability:	Not flammable.
Upper/Lower flammability or explosive limits:	None.
Vapour pressure:	N/A
Vapour density:	N/A
Relative density/Specific gravity (Water = 1):	1.03 @ 20°C
Solubility(ies):	Soluble in water
Partition coefficient: n-octanol/water:	N/A
Auto-ignition temperature:	Not flammable
Decomposition temperature:	N/A
Viscosity:	Thin like water
VOCs:	N/A

[Back to Top](#)

SECTION 10: STABILITY AND REACTIVITY	
Reactivity:	N/A
Chemical stability:	Stable under normal storage conditions.
Possibility of hazardous reactions:	None known.
Conditions to avoid:	Temperatures above 30°C and below 5°C. Keep away from heat, sparks and flame. Avoid hot work and sources of ignition or on near empty containers.
Incompatibility:	Oxidizing agents, iron, copper, brass, bronze, chromium, zinc, lead, silver, manganese. Contact with combustible material may result in spontaneous combustion.
Hazardous Decomposition Products:	Carbon dioxide, carbon monoxide.

[Back to Top](#)

SECTION 11: TOXICOLOGICAL INFORMATION	
Likely routes of exposure:	Ingestion, skin and eye contact.

SECTION 11: TOXICOLOGICAL INFORMATION	
<b>Symptoms:</b>	May cause serious irritation to eyes and skin. May cause irritation to respiratory track. D-limonene is a known skin sensitizer.
<b>Acute Toxicity Estimates:</b>	LD <sub>50</sub> Oral ATE > 2000 mg/kg
	LD <sub>50</sub> Dermal ATE > 2000 mg/kg
	LD <sub>50</sub> Inhalation ATE: N/A
<b>Skin Sensitization:</b>	This product contains roughly 0.2% of D-Limonene (CAS# 5989-27-5) which is a known skin sensitizer.
<b>Germinal Cell Mutagenicity:</b>	Data available on components indicates no potential germinal cell mutagenicity.
<b>Reproductive Toxicity:</b>	Data available on components indicates no potential reproductive toxicity.
<b>Carcinogenicity:</b>	Not listed by NTP, IARC, OSHA, ACGIH.
<b>Aspiration Hazard:</b>	Data available on components indicates no potential aspiration hazard.

[Back to Top](#)

SECTION 12: ECOLOGICAL INFORMATION	
<b>Toxicity to Fresh Water Algae:</b>	<b>D-Limonene (CAS# 5989-27-5):</b> EC <sub>50</sub> (Desmodesmus subspicatus (green algae)) 150 mg/L, Exposure Time: 72 h, Test Type: Static
<b>Toxicity to Fish Species:</b>	<b>D-Limonene (CAS# 5989-27-5):</b> LC <sub>50</sub> (Pimephales promeals) 0.702 mg/L, Exposure Time, 96 h, Test Type: Flow-Through
	<b>Hydrogen Peroxide (CAS# 7722-84-1):</b> LC <sub>50</sub> (Pimephales promeals) 16.4 mg/L, Exposure Time, 96 h, Test Type: N/A LC <sub>50</sub> (Lepomis macrochirus) 18-56 mg/L, Exposure Time, 96 h, Test Type: Static LC <sub>50</sub> (Oncorhynchus mykiss) 10.0-32.0 mg/L, Exposure Time, 96 h, Test Type: Static
	<b>Alcohol Ethoxylate (CAS# 68991-48-0):</b> LC <sub>50</sub> (Fish) 70.1 mg/L, Exposure Time, 48h, Test Type: Static
	<b>Toxicity to Aquatic Invertebrates:</b>
	<b>D-Limonene (CAS# 5989-27-5):</b> EC <sub>50</sub> (Daphnia magna (water flea)): 0.36 mg/L, Exposure Time: 48 h, Test Type: Static
	<b>Hydrogen Peroxide (CAS# 7722-84-1):</b> EC <sub>50</sub> (Daphnia magna (water flea)): 18-32 mg/L, Exposure Time: 48 h, Test Type: N/A
	<b>Alcohol Ethoxylate (CAS# 68991-48-0):</b> EC <sub>50</sub> (Daphnia magna (water flea)):

**PREPARED BY:**

Regulatory Division  
Project Clean Inc.  
(formerly Maxim Chemical International Inc.)

**LAST UPDATE:**

2020-05-15

SECTION 12: ECOLOGICAL INFORMATION	
	5.3 mg/L, Exposure Time: 48h, Test Type: N/A
<b>Persistence and degradability:</b>	This product does not exhibit the properties of ignitability, corrosivity, reactivity or environmentally persistent toxicity. This product does not adversely inhibit a diverse aquatic range of organisms (animal, plant, bacteria) as required by the Ecologo™ program under UL2794.

[Back to Top](#)

SECTION 13: DISPOSAL CONSIDERATIONS	
<b>Recommended Waste Disposal Methods:</b>	<p><b>PESTICIDE DISPOSAL</b> - Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law.</p> <p><b>CONTAINER DISPOSAL</b> – Non-refillable container. Do not reuse or refill this container. Offer for recycling, if available or puncture and dispose of in a sanitary landfill.</p> <p><b>(For containers 5 gallons or less):</b> Triple rinse container promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after flow begins to drip. Fill container 1/4 full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times.</p> <p><b>(For containers greater than 5 gallons):</b> Triple rinse container promptly after emptying. Triple rinse as follows: Empty remaining contents into application equipment or a mix tank. Fill the container ¼ full with water. Replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 seconds. Stand the container on its end and tip it back and forth several times. Empty the rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Repeat this procedure two more times.</p>

[Back to Top](#)

SECTION 14: TRANSPORT INFORMATION	
<b>Canadian TDG UN Number:</b>	Not regulated.
<b>UN Proper Shipping Name:</b>	Not regulated.
<b>Transport Hazard Class(es):</b>	Not regulated.
<b>Packing Group:</b>	Not regulated.

**PREPARED BY:**

Regulatory Division  
Project Clean Inc.  
(formerly Maxim Chemical International Inc.)

**LAST UPDATE:**

2020-05-15



SECTION 14: TRANSPORT INFORMATION	
Environmental Hazards:	Not available.
Special Precautions for User:	Not available.
Additional Information:	Not available.

[Back to Top](#)

SECTION 15: REGULATORY INFORMATION									
<p><b>HAZARD RATING INFORMATION</b></p> <p>4 = Extreme 3 = High 2 = Moderate 1 = Slight 0 = Insignificant</p>	<p style="text-align: center;"><b>HMIS</b></p> <table border="1"> <tr> <td style="background-color: #0056b3; color: white;">1</td> <td>Health</td> </tr> <tr> <td style="background-color: #ff0000; color: white;">0</td> <td>Flammability</td> </tr> <tr> <td style="background-color: #ffff00; color: black;">0</td> <td>Reactivity</td> </tr> <tr> <td style="background-color: white; color: black;">B</td> <td>Personal protection</td> </tr> </table> <p style="text-align: center;">B = Safety glasses + Gloves</p>	1	Health	0	Flammability	0	Reactivity	B	Personal protection
1	Health								
0	Flammability								
0	Reactivity								
B	Personal protection								
<p><b>HMIS Protection Group B</b></p>									
<p>All pertinent hazard information has been provided in this SDS, per the requirements of the U.S. Federal Occupational Safety and Health Administration Standard (29 CFR 1910.1200), U.S. State equivalent Standards, and the Canadian Workplace Hazardous Materials Identification System Standards (CPR 4).</p>									

[Back to Top](#)

SECTION 16: OTHER INFORMATION	
ACRONYM LIST	
<b>ACGIH</b>	American Conference of Governmental Industrial Hygienists
<b>ATE</b>	Acute Toxicity Estimate
<b>CAS</b>	Chemical Abstracts Service
<b>CFR</b>	Code of Federal Regulations
<b>DSL/NDSL</b>	Domestic Substances List/ Non-domestic Substance List
<b>EC<sub>50</sub></b>	Half maximal effective concentration

SECTION 16: OTHER INFORMATION	
<b>HMIS</b>	Hazardous Materials Identification System
<b>IARC</b>	International Agency for Research on Cancer
<b>LC<sub>50</sub></b>	Lethal concentration, 50%
<b>LD<sub>50</sub></b>	Lethal dose, 50%
<b>MSHA</b>	Mine Safety and Health Administration
<b>N/A</b>	Not Available
<b>NIOSH</b>	The National Institute for Occupational Safety and Health
<b>N.O.S.</b>	Not Otherwise Specified
<b>NTP</b>	National Toxicology Program
<b>OSHA</b>	Occupational Safety and Health Administration
<b>PEL</b>	Permissible Exposure Limit
<b>PNOC</b>	Particulates not otherwise classified
<b>PMMCC</b>	Pensky-Martens Closed Cup
<b>P<sub>ow</sub></b>	Partition Coefficient Octanol: Water
<b>SDS</b>	Safety Data Sheets
<b>STOT – SE</b>	Specific Target Organ Toxicity – Single Exposure
<b>STOT – RE</b>	Specific Target Organ Toxicity – Repeated Exposure
<b>TDG</b>	Transportation of Dangerous Goods
<b>TLV</b>	Threshold Limit Value
<b>UN</b>	United Nations
<b>VOCs</b>	Volatile Organic Compounds
<b>WEL</b>	Workplace Exposure Limit
<b>WHMIS</b>	Workplace Hazardous Materials Information System

[Back to Top](#)

It is the responsibility of the user to provide a safe workplace, using the health and safety information contained herein as a guide. Project Clean Inc. (formerly Maxim Chemical International Inc.) will accept no liability for damages or loss incurred from the improper handling and use of this product.

The information provided in the Safety Data Sheet has been obtained from current sources and is believed to be reliable.

**PREPARED BY:**

Regulatory Division  
Project Clean Inc.  
(formerly Maxim Chemical International Inc.)

**LAST UPDATE:**

2020-05-15