




## Safety Data Sheet Sections

SECTION 1: IDENTIFICATION .....	2
SECTION 2: HAZARD IDENTIFICATION.....	2
PRECAUTIONARY STATEMENTS .....	2
SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS .....	3
SECTION 4: FIRST-AID MEASURES.....	3
SECTION 5: FIRE-FIGHTING MEASURES.....	4
SECTION 6: ACCIDENTAL RELEASE MEASURES .....	4
SECTION 7: HANDLING AND STORAGE .....	5
SECTION 8: EXPOSURE CONTROLS / PERSONAL PROTECTION .....	5
EXPOSURE LIMITS: .....	5
INDIVIDUAL PROTECTION MEASURES / PERSONAL PROTECTIVE EQUIPMENT .....	5
SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES .....	5
SECTION 10: STABILITY AND REACTIVITY .....	6
SECTION 11: TOXICOLOGICAL INFORMATION .....	6
SECTION 12: ECOLOGICAL INFORMATION .....	7
SECTION 13: DISPOSAL CONSIDERATIONS.....	8
SECTION 14: TRANSPORT INFORMATION.....	8
SECTION 15: REGULATORY INFORMATION.....	8
SECTION 16: OTHER INFORMATION .....	9
ACRONYM LIST .....	9

SECTION 1: IDENTIFICATION	
<b>Product Trade Name:</b>	Maxim Hydrogenic
<b>Product Code:</b>	1300615
<b>Recommended Use:</b>	Ecologo™ certified peroxide-based cleaner
<b>Restrictions on Use:</b>	For Industrial use only
<b>Manufacturer Name:</b>	Project Clean Inc.
<b>Manufacturer Address:</b>	1607 Derwent Way, Delta, B.C. Canada V3M 6K8
<b>Manufacturer Phone Number:</b>	<a href="tel:800-663-9925">800-663-9925</a>
<b>Emergency Phone Number/ 24-Hour Number:</b>	<b>For Transportation Emergencies:</b> Canutec <a href="tel:613-996-6666">613-996-6666</a> <b>Emergency Response Services:</b> Chemtrec <a href="tel:800-424-9300">800-424-9300</a>

[Back to Top](#)

SECTION 2: HAZARD IDENTIFICATION	
<b>Physical Hazards:</b>	NONE
<b>Health Hazards:</b>	SKIN CORROSION/ IRRITATION – Category 2A
	EYE DAMAGE/ IRRITATION – Category 2A
	SPECIFIC TARGET ORGAN TOXICITY (SINGLE EXPOSURE) – Category 3
	SENSITIZATION – SKIN – Category 1
<b>Symbol:</b>	
<b>Signal word:</b>	WARNING
<b>Hazard Statement:</b>	H315 Causes skin irritation.
	H319 Causes serious eye irritation.
	H335 May cause respiratory irritation.
	H317 May cause an allergic skin reaction.
PRECAUTIONARY STATEMENTS	
<b>Prevention:</b>	P264 Wash hands and affected area thoroughly after handling.
	P280 Wear eye protection and protective gloves.
	P261 Avoid breathing fume/ mist/ vapours/ spray.
	P271 Use only outdoors or in a well-ventilated area.
	P272 Contaminated work clothing should not be allowed out of the workplace.

SECTION 2: HAZARD IDENTIFICATION	
<b>Responses:</b>	P302 + P352 IF ON SKIN: Wash with plenty water.
	P321 Specific treatment (see supplemental first aid information on this label).
	P333 + P317 + P362 + P364 If skin irritation or rash occurs: Get medical help. Take off contaminated clothing and wash it before reuse.
	P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
	P337 + P317 If eye irritation persists: Get medical help.
	P304 + P340 + P319 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Get medical help if you feel unwell.
<b>Storage:</b>	P403 + P233 Store in a well-ventilated place. Keep container tightly closed.
	P405 Store locked up.
<b>Disposal:</b>	P501 Dispose of contents/ container to an approved waste disposal plant.

[Back to Top](#)

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS		
Ingredient	Approx. Wt.%	CAS Number
Hydrogen Peroxide	1-5	7722-84-1
Alcohol Ethoxylate	1-5	68991-48-0
D-Limonene	0.1-1	5989-27-5

[Back to Top](#)

SECTION 4: FIRST-AID MEASURES	
<b>General Information:</b>	Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance.
<b>Inhalation:</b>	Immediately remove the affected victim to fresh air. If symptoms persist, obtain medical attention.
<b>Skin Contact:</b>	Immediately flush exposed area with plenty of water for at least 10 minutes. If irritation persists, or if contact has been prolonged, obtain medical attention. Remove contaminated clothing and launder before reuse.
<b>Eye Contact:</b>	Immediately flush with warm running water for at least 15 minutes, holding eyelids open during flushing. Remove contact lenses, if present and easy to do. If irritation persists, repeat flushing and obtain medical attention immediately.

SECTION 4: FIRST-AID MEASURES	
<b>Ingestion:</b>	Do not induce vomiting. If the victim is fully conscious, give plenty of clean water to drink to dilute product. Never give anything by mouth if victim is unconscious, is rapidly losing consciousness, or is convulsing. Call a Physician.
<b>Self-Protection of the First Aider:</b>	Remove all sources of ignition. Ensure that first aid personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination.
<b>Most Important Symptoms/ Effects, Acute and Delayed:</b>	<b>Ingestion:</b> None reasonably foreseeable. <b>Inhalation:</b> None reasonably foreseeable. <b>Eyes and skin:</b> Prolonged eye or skin contact may cause irritation. May cause an allergic skin reaction.
<b>If irritation occurs or persists, get medical attention.</b>	

[Back to Top](#)

SECTION 5: FIRE-FIGHTING MEASURES	
<b>Suitable Extinguishing Media:</b>	Water fog, alcohol foam.
<b>Unsuitable Extinguishing Media:</b>	Water spray.
<b>Flammability:</b>	Not flammable.
<b>Flash Point:</b>	Not flammable.
<b>Special Firefighting Procedures:</b>	Wear NIOSH/MSHA approved, self-contained breathing apparatus for firefighting situation. Use water spray to cool all nearby fire exposed surfaces. Do not use CO <sub>2</sub> extinguisher on this material.
<b>Unusual Fire / Explosion Hazards:</b>	Not flammable but can cause spontaneous combustion of flammable materials and continued support of the combustion because it liberates oxygen as it decomposes. Drying of concentrated product on clothing or other combustible material may cause fire.
<b>Hazardous Decomposition Products:</b>	Carbon dioxide, carbon monoxide.

[Back to Top](#)

SECTION 6: ACCIDENTAL RELEASE MEASURES	
<b>Environmental Protection Precautions:</b>	Do not release to the environment or water source.
<b>Steps to be Taken in Case Material is Released or Spilled:</b>	Wear protective equipment. Soak up spills with absorbents, then dispose of in an appropriate waste container. Keep material away from sewers. Reuse if possible. Otherwise dispose recovered material in accordance with all local, Provincial or Federal regulations.

[Back to Top](#)

**SECTION 7: HANDLING AND STORAGE**

<b>Precautions to be Taken in Handling and Storage:</b>	Use good industrial hygiene. Do not get in eyes, on skin or on clothing. Store in a cool, dry place away from incompatibles. Keep container closed when not in use. Do not mix with any other chemicals. Keep out of reach of children. Store at temperatures below 30°C and keep from freezing. Do not store in metal or galvanized containers.
---	--

[Back to Top](#)**SECTION 8: EXPOSURE CONTROLS / PERSONAL PROTECTION****EXPOSURE LIMITS:**

OSHA (PEL): N/A	ACGIH TLV: N/A	Other exposure limit: N/A
-----------------	----------------	---------------------------

**INDIVIDUAL PROTECTION MEASURES / PERSONAL PROTECTIVE EQUIPMENT**

<b>Appropriate Engineering Controls:</b>	Good general ventilation.
<b>Skin Protection:</b>	Hand Protection: Butyl rubber, neoprene, latex or nitrile gloves if user is allergic to this product. Other Skin Protection: Personal protective equipment for the body should be selected based on the task being performed and the risks involved. Appropriate footwear should be selected based on the task being performed and the risks involved.
<b>Eye and Face Protection:</b>	Safety glasses.
<b>Respiratory Protection:</b>	Good general ventilation or local exhaust ventilation for spraying and misting in confined areas.
<b>Other Protective Equipment:</b>	Eye wash station. Wear long-sleeve shirts, trousers for routine product use.

[Back to Top](#)**SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

<b>Appearance:</b>	Clear, colourless liquid.
<b>Odour:</b>	Citrus scent.
<b>Odour threshold:</b>	N/A
<b>pH:</b>	5.5-6.5
<b>Melting point/Freezing point:</b>	N/A
<b>Initial boiling point and boiling range:</b>	N/A
<b>Flash Point:</b>	> 100°C
<b>Evaporation Rate (Water=1):</b>	N/A
<b>Flammability:</b>	Not flammable

**PREPARED BY:**

Regulatory Division  
Project Clean Inc.  
(formerly Maxim Chemical International Inc.)

**LAST UPDATE:**

2020-04-17

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Upper/Lower flammability or explosive limits:	None
Vapour pressure:	N/A
Vapour density:	N/A
Relative density/Specific gravity (Water = 1):	1.02 @ 20°C
Solubility(ies):	Soluble in water
Partition coefficient: n-octanol/water:	N/A
Auto-ignition temperature:	Not flammable
Decomposition temperature:	N/A
Viscosity:	Thin like water
VOCs:	N/A

[Back to Top](#)

## SECTION 10: STABILITY AND REACTIVITY

Reactivity:	N/A
Chemical stability:	Stable under normal storage conditions.
Possibility of hazardous reactions:	None known.
Conditions to avoid:	Temperatures above 30°C and below 5°C. Keep away from heat, sparks and flame. Avoid hot work and sources of ignition or on near empty containers.
Incompatibility:	Oxidizing agents, iron, copper, brass, bronze, chromium, zinc, lead, silver, manganese. Contact with combustible material may result in spontaneous combustion.
Hazardous Decomposition Products:	Carbon dioxide, carbon monoxide.

[Back to Top](#)

## SECTION 11: TOXICOLOGICAL INFORMATION

Likely routes of exposure:	Ingestion, skin and eye contact.
Symptoms:	May cause serious irritation to eyes and skin. May cause irritation to respiratory track. D-limonene is a known skin sensitizer.
Acute Toxicity Estimates:	LD <sub>50</sub> Oral ATE > 2000 mg/kg
	LD <sub>50</sub> Dermal ATE > 2000 mg/kg
	LD <sub>50</sub> Inhalation ATE: N/A
Skin Sensitization:	This product contains roughly 0.1% of D-Limonene (CAS# 5989-27-5) which is a known skin sensitizer.

## PREPARED BY:

Regulatory Division  
 Project Clean Inc.  
 (formerly Maxim Chemical International Inc.)

## LAST UPDATE:

2020-04-17

SECTION 11: TOXICOLOGICAL INFORMATION	
<b>Germinal Cell Mutagenicity:</b>	Data available on components indicates no potential germinal cell mutagenicity.
<b>Reproductive Toxicity:</b>	Data available on components indicates no potential reproductive toxicity.
<b>Carcinogenicity:</b>	Not listed by NTP, IARC, OSHA, ACGIH.
<b>Aspiration Hazard:</b>	Data available on components indicates no potential aspiration hazard.

[Back to Top](#)

SECTION 12: ECOLOGICAL INFORMATION	
<b>Toxicity to Fresh Water Algae:</b>	<b>D-Limonene (CAS# 5989-27-5):</b> EC <sub>50</sub> (Desmodesmus subspicatus (green algae)) 150 mg/L, Exposure Time: 72 h, Test Type: Static
<b>Toxicity to Fish Species:</b>	<b>D-Limonene (CAS# 5989-27-5):</b> LC <sub>50</sub> (Pimephales promelas) 0.702 mg/L, Exposure Time, 96 h, Test Type: Flow-Through
	<b>Hydrogen Peroxide (CAS# 7722-84-1):</b> LC <sub>50</sub> (Pimephales promelas) 16.4 mg/L, Exposure Time, 96 h, Test Type: N/A LC <sub>50</sub> (Lepomis macrochirus) 18-56 mg/L, Exposure Time, 96 h, Test Type: Static LC <sub>50</sub> (Oncorhynchus mykiss) 10.0-32.0 mg/L, Exposure Time, 96 h, Test Type: Static
	<b>Alcohol Ethoxylate (CAS# 68991-48-0):</b> LC <sub>50</sub> (Fish): 70.1 mg/L, Exposure Time, 48h, Test Type: Static
<b>Toxicity to Aquatic Invertebrates:</b>	<b>D-Limonene (CAS# 5989-27-5):</b> EC <sub>50</sub> (Daphnia magna (water flea)): 0.36 mg/L, Exposure Time: 48 h, Test Type: Static
	<b>Hydrogen Peroxide (CAS# 7722-84-1):</b> EC <sub>50</sub> (Daphnia magna (water flea)): 18-32 mg/L, Exposure Time: 48 h, Test Type: N/A
	<b>Alcohol Ethoxylate (CAS# 68991-48-0):</b> EC <sub>50</sub> (Daphnia magna (water flea)): 5.3 mg/L, Exposure Time: 48h, Test Type: N/A
<b>Persistence and degradability:</b>	This product does not exhibit the properties of ignitability, corrosivity, reactivity or environmentally persistent toxicity. This product does not adversely inhibit a diverse aquatic range of organisms (animal, plant, bacteria) as required by the Ecologo™ program under UL2759.

[Back to Top](#)

**SECTION 13: DISPOSAL CONSIDERATIONS**

<b>Recommended Waste Disposal Methods:</b>	Reuse if possible. Otherwise dispose recovered material in accordance with all local, Provincial or Federal regulations.
--	--


[Back to Top](#)

**SECTION 14: TRANSPORT INFORMATION**

<b>Canadian TDG UN Number:</b>	Not regulated.
<b>UN Proper Shipping Name:</b>	Not regulated.
<b>Transport Hazard Class(es):</b>	Not regulated.
<b>Packing Group:</b>	Not regulated.
<b>Environmental Hazards:</b>	Not available.
<b>Special Precautions for User:</b>	Not available.
<b>Additional Information:</b>	Not available.

[Back to Top](#)

**SECTION 15: REGULATORY INFORMATION**

<p><b>HAZARD RATING INFORMATION</b></p> <p>4 = Extreme                  3 = High                  2 = Moderate                  1 = Slight                  0 = Insignificant</p>	<p style="text-align: center;"><b>HMIS</b></p> <table border="1" style="margin-left: auto; margin-right: auto;"> <tr> <td style="background-color: #0056b3; color: white; text-align: center;"><b>1</b></td> <td style="background-color: #0056b3; color: white;">Health</td> </tr> <tr> <td style="background-color: #ff0000; color: white; text-align: center;"><b>0</b></td> <td style="background-color: #ff0000; color: white;">Flammability</td> </tr> <tr> <td style="background-color: #ffff00; color: black; text-align: center;"><b>0</b></td> <td style="background-color: #ffff00; color: black;">Reactivity</td> </tr> <tr> <td style="background-color: #cccccc; text-align: center;"><b>B</b></td> <td>Personal protection</td> </tr> </table> <p style="text-align: center;">B = Safety glasses + Gloves</p>	<b>1</b>	Health	<b>0</b>	Flammability	<b>0</b>	Reactivity	<b>B</b>	Personal protection
<b>1</b>	Health								
<b>0</b>	Flammability								
<b>0</b>	Reactivity								
<b>B</b>	Personal protection								
<p><b>HMIS Protection Group B</b></p>	<div style="text-align: center;">  </div>								
<p>All pertinent hazard information has been provided in this SDS, per the requirements of the U.S. Federal Occupational Safety and Health Administration Standard (29 CFR 1910.1200), U.S. State equivalent Standards, and the Canadian Workplace Hazardous Materials Identification System Standards (CPR 4).</p>									

<b>SECTION 16: OTHER INFORMATION</b>	
<b>ACRONYM LIST</b>	
<b>ACGIH</b>	American Conference of Governmental Industrial Hygienists
<b>ATE</b>	Acute Toxicity Estimate
<b>CAS</b>	Chemical Abstracts Service
<b>CFR</b>	Code of Federal Regulations
<b>DSL/NDSL</b>	Domestic Substances List/ Non-domestic Substance List
<b>EC<sub>50</sub></b>	Half maximal effective concentration
<b>HMIS</b>	Hazardous Materials Identification System
<b>IARC</b>	International Agency for Research on Cancer
<b>LC<sub>50</sub></b>	Lethal concentration, 50%
<b>LD<sub>50</sub></b>	Lethal dose, 50%
<b>MSHA</b>	Mine Safety and Health Administration
<b>N/A</b>	Not Available
<b>NIOSH</b>	The National Institute for Occupational Safety and Health
<b>N.O.S.</b>	Not Otherwise Specified
<b>NTP</b>	National Toxicology Program
<b>OSHA</b>	Occupational Safety and Health Administration
<b>PEL</b>	Permissible Exposure Limit
<b>PNOC</b>	Particulates not otherwise classified
<b>PMMCC</b>	Pensky-Martens Closed Cup
<b>P<sub>ow</sub></b>	Partition Coefficient Octanol: Water
<b>SDS</b>	Safety Data Sheets
<b>STOT – SE</b>	Specific Target Organ Toxicity – Single Exposure
<b>STOT – RE</b>	Specific Target Organ Toxicity – Repeated Exposure
<b>TDG</b>	Transportation of Dangerous Goods
<b>TLV</b>	Threshold Limit Value
<b>UN</b>	United Nations
<b>VOCs</b>	Volatile Organic Compounds
<b>WEL</b>	Workplace Exposure Limit
<b>WHMIS</b>	Workplace Hazardous Materials Information System

**PREPARED BY:**

Regulatory Division  
 Project Clean Inc.  
 (formerly Maxim Chemical International Inc.)

**LAST UPDATE:**

2020-04-17

It is the responsibility of the user to provide a safe workplace, using the health and safety information contained herein as a guide. Project Clean Inc. (formerly Maxim Chemical International Inc.) will accept no liability for damages or loss incurred from the improper handling and use of this product.

The information provided in the Safety Data Sheet has been obtained from current sources and is believed to be reliable.