




## Safety Data Sheet Sections

SECTION 1: IDENTIFICATION .....	2
SECTION 2: HAZARD IDENTIFICATION.....	2
PRECAUTIONARY STATEMENTS .....	2
SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS .....	3
SECTION 4: FIRST-AID MEASURES.....	3
SECTION 5: FIRE-FIGHTING MEASURES.....	4
SECTION 6: ACCIDENTAL RELEASE MEASURES .....	5
SECTION 7: HANDLING AND STORAGE .....	5
SECTION 8: EXPOSURE CONTROLS / PERSONAL PROTECTION .....	5
EXPOSURE LIMITS: .....	5
INDIVIDUAL PROTECTION MEASURES / PERSONAL PROTECTIVE EQUIPMENT .....	5
SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES .....	6
SECTION 10: STABILITY AND REACTIVITY .....	6
SECTION 11: TOXICOLOGICAL INFORMATION .....	7
SECTION 12: ECOLOGICAL INFORMATION .....	7
SECTION 13: DISPOSAL CONSIDERATIONS.....	7
SECTION 14: TRANSPORT INFORMATION.....	7
SECTION 15: REGULATORY INFORMATION.....	8
SECTION 16: OTHER INFORMATION .....	8
ACRONYM LIST .....	8

SECTION 1: IDENTIFICATION	
Product Trade Name:	Maxim Max Booster
Product Code:	1200588
Recommended Use:	Liquid laundry booster
Restrictions on Use:	For Industrial and Institutional use only
Manufacturer Name:	Project Clean Inc.
Manufacturer Address:	1607 Derwent Way, Delta, B.C. Canada V3M 6K8
Manufacturer Phone Number:	<a href="tel:800-663-9925">800-663-9925</a>
Email Address of Competent Person Responsible for the SDS:	<a href="mailto:regulatory@projectclean.com">regulatory@projectclean.com</a>
Emergency Phone Number/ 24-Hour Number:	Canada: Canutec <a href="tel:613-996-6666">613-996-6666</a> U.S.A.: Chemtrec <a href="tel:800-424-9300">800-424-9300</a>

[Back to Top](#)

SECTION 2: HAZARD IDENTIFICATION	
Physical Hazards:	CORROSIVE TO METALS
Health Hazards:	SKIN CORROSION/IRRITATION – Category 1
	EYE DAMAGE/IRRITATION – Category 1
	ACUTE TOXICITY – ORAL – Category 4
Label Elements:	
Signal word:	Danger
Hazard Statement:	H290 May be corrosive to metals.
	H314 Causes severe skin burns and eye damage.
	H318 Causes serious eye damage.
	H302 Harmful if swallowed.
PRECAUTIONARY STATEMENTS	
Prevention:	P234 Keep only in original packaging.
	P260 Do not breathe dusts or mists.
	P264 Wash hands or affected area thoroughly after handling.
	P270 Do not eat, drink or smoke when using this product.

**PREPARED BY:**

Regulatory Division  
Project Clean Inc.  
(formerly Maxim Chemical International Inc.)

**LAST UPDATE:**

2020-05-14

SECTION 2: HAZARD IDENTIFICATION	
	P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.
<b>Responses:</b>	P390 Absorb spillage to prevent material damage.
	P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
	P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].
	P363 Wash contaminated clothing before reuse.
	P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
	P310 Immediately call a POISON CENTER/doctor/physician.
	P321 Specific treatment (see supplemental first aid information on this label).
	P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
<b>Storage:</b>	P406 Store in a corrosion resistant container with a resistant inner liner.
	P405 Store locked up.
<b>Disposal:</b>	P501 Dispose of contents/ container to an approved waste disposal plant.

[Back to Top](#)

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS		
Ingredient	Approx. Wt.%	CAS Number
Sodium Hydroxide	15-40	1310-73-2
Sodium Silicate	1-5	1349-09-8

[Back to Top](#)

SECTION 4: FIRST-AID MEASURES	
<b>General Information:</b>	Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance.
<b>Inhalation:</b>	Immediately remove the affected victim to fresh air. If symptoms persist, obtain medical attention.
<b>Skin Contact:</b>	Flood area with cool water for at least 20 minutes or until help arrives. Make sure water doesn't flow onto another part of the person's body or onto you. Don't use a strong stream of water, if possible. As you flush the burn (not before), remove jewelry or articles of clothing with chemical on them, unless they're stuck to the person's body. Don't try to neutralize the burn with acid or alkali. This could cause

**PREPARED BY:**

Regulatory Division  
 Project Clean Inc.  
 (formerly Maxim Chemical International Inc.)

**LAST UPDATE:**

2020-05-14

SECTION 4: FIRST-AID MEASURES	
	a chemical reaction that worsens the burn. Don't put antibiotic ointment on the burn.
<b>Eye Contact:</b>	Have the person immediately rinse the eye or eyes under a faucet, in a gentle shower, or with a clean container of water. Keep the person's face so that the injured eye is down and to the side. Avoid spraying a high-pressure water stream into the eye or eyes. Flush with lukewarm water for 15 to 30 minutes. For severe burns, continue flushing until you see a doctor, or you arrive in an emergency room. The person should keep the eye open as wide as possible. Wash the person's hands thoroughly to make sure no chemical is still on them. Flush the eye to remove contact lenses. If they do not come out, try to gently remove them AFTER flushing. Do not rub the eye or place a bandage over the eye. While waiting for medical care, have the person wear sunglasses to decrease light sensitivity.
<b>Ingestion:</b>	Do not induce vomiting. If the victim is fully conscious, give plenty of clean water to drink to dilute product. Never give anything by mouth if victim is unconscious, is rapidly losing consciousness, or is convulsing. Call a Physician.
<b>Self-Protection of the First Aider:</b>	Remove all sources of ignition. Ensure that first aid personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination.
<b>Most Important Symptoms/ Effects, Acute and Delayed:</b>	<b>Ingestion:</b> May burn mouth and throat. May cause gastrointestinal irritation or ulceration. <b>Inhalation:</b> May cause respiratory irritation. <b>Eyes and skin:</b> May cause severe irritation with corneal injury which may result in permanent impairment of vision, even blindness. Brief contact may cause skin burns.
<b>If irritation occurs or persists, get medical attention.</b>	

[Back to Top](#)

SECTION 5: FIRE-FIGHTING MEASURES	
<b>Suitable Extinguishing Media:</b>	Water fog, alcohol foam, or dry chemical.
<b>Unsuitable Extinguishing Media:</b>	Do not use water jet as an extinguisher, as this will spread the fire.
<b>Flammability:</b>	Not flammable.
<b>Flash Point:</b>	Not flammable.
<b>Special Firefighting Procedures:</b>	Wear NIOSH/MSHA approved, self-contained breathing apparatus for firefighting situation. Use water spray to cool all nearby fire exposed surfaces.
<b>Unusual Fire / Explosion Hazards:</b>	Reacts violently with many organic chemicals, especially nitro carbons and chlorocarbons. May react with zinc, aluminum, tin and other active metals liberating

**PREPARED BY:**

Regulatory Division  
 Project Clean Inc.  
 (formerly Maxim Chemical International Inc.)

**LAST UPDATE:**

2020-05-14

**SECTION 5: FIRE-FIGHTING MEASURES**

	flammable hydrogen gas. Dilution in water evolves large amounts of heat.
<b>Hazardous Decomposition Products:</b>	Oxides of sodium and other unidentifiable organic compounds.

[Back to Top](#)**SECTION 6: ACCIDENTAL RELEASE MEASURES**

<b>Environmental Protection Precautions:</b>	Do not release to the environment or water source.
<b>Steps to be Taken in Case Material is Released or Spilled:</b>	Wear protective equipment. Sweep up and shovel material into an appropriate waste container. Flush area with water if appropriate. Keep material away from sewers. Reuse if possible, otherwise dispose recovered material in accordance with all local, Provincial or Federal regulations.

[Back to Top](#)**SECTION 7: HANDLING AND STORAGE**

<b>Precautions to be Taken in Handling and Storage:</b>	Use good industrial hygiene. Do not get in eyes, on skin or on clothing. Avoid breathing dust. Store in a cool, dry place away from incompatibles. Keep container closed when not in use. Keep out of reach of children. Store at temperatures below 30°C and above 5°C. Do not store in metal containers.
---	--

[Back to Top](#)**SECTION 8: EXPOSURE CONTROLS / PERSONAL PROTECTION****EXPOSURE LIMITS:**

OSHA (PEL): N/A	ACGIH TLV: N/A	Other exposure limit: N/A
-----------------	----------------	---------------------------

**INDIVIDUAL PROTECTION MEASURES / PERSONAL PROTECTIVE EQUIPMENT**

<b>Appropriate Engineering Controls:</b>	Good general ventilation.
<b>Skin Protection:</b>	Non-permeable gloves (rubber, nitrile) recommended. Rubber/PVC aprons when skin contact may occur. Rubber boots.
<b>Eye and Face Protection:</b>	Use chemical goggles or safety glasses.
<b>Respiratory Protection:</b>	Good general ventilation or local exhaust ventilation for spraying and misting in confined areas.
<b>Other Protective Equipment:</b>	Eye wash, safety shower and full protective clothing recommended in the immediate work area.

[Back to Top](#)**PREPARED BY:**

Regulatory Division  
Project Clean Inc.  
(formerly Maxim Chemical International Inc.)

**LAST UPDATE:**

2020-05-14

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES	
Appearance:	Clear, colourless liquid
Odour:	Mild odour. No added fragrance.
Odour threshold:	N/A
pH:	>13.0
Melting point/Freezing point:	N/A
Initial boiling point and boiling range:	N/A
Flash Point:	>100°C
Evaporation Rate (Water=1):	N/A
Flammability:	Not flammable
Upper/Lower flammability or explosive limits:	None
Vapour pressure:	N/A
Vapour density:	N/A
Relative density/Specific gravity (Water = 1):	1.23 @ 20°C
Solubility(ies):	Soluble in water
Partition coefficient: n-octanol/water:	N/A
Auto-ignition temperature:	Not flammable
Decomposition temperature:	N/A
Viscosity:	N/A
VOCs%:	N/A

[Back to Top](#)

SECTION 10: STABILITY AND REACTIVITY	
Reactivity:	N/A
Chemical stability:	Stable under normal storage conditions.
Possibility of hazardous reactions:	N/A
Conditions to avoid:	Temperatures above 30°C and below 5°C.
Incompatibility:	Avoid contact with acid/oxidizers. Incompatible with acid, metals and alloys, zinc, tin, aluminum, organic chemicals, nitrocarbons, halocarbons.
Hazardous Decomposition Products:	Oxides of sodium and other unidentifiable organic compounds.

[Back to Top](#)

**SECTION 11: TOXICOLOGICAL INFORMATION**

<b>Likely routes of exposure:</b>	Ingestion, skin and eye contact.
<b>Symptoms:</b>	Necrosis, tissue destruction, corrosion.
<b>Acute Toxicity Estimates:</b>	LD <sub>50</sub> Oral ATE >460 mg/kg, 2.005% of the mixture consists of ingredients of unknown acute toxicity
	LD <sub>50</sub> Dermal ATE > 2000 mg/kg
	LD <sub>50</sub> Inhalation ATE: N/A
<b>Carcinogenicity:</b>	Not listed by NTP, IARC, OSHA, ACGIH.

[Back to Top](#)**SECTION 12: ECOLOGICAL INFORMATION**

<b>Toxicity to Fresh Water Algae:</b>	N/A
<b>Toxicity to Fish Species:</b>	<b>Sodium Hydroxide (CAS# 1310-73-2):</b> LC <sub>50</sub> (Oncorhynchus mykiss) 45.4 mg/L, Exposure Time, 96 h, Test Type: Static
<b>Toxicity to Aquatic Invertebrates:</b>	N/A
<b>Persistence and degradability:</b>	N/A

[Back to Top](#)**SECTION 13: DISPOSAL CONSIDERATIONS**

<b>Recommended Waste Disposal Methods:</b>	Reuse if possible. Otherwise dispose recovered material in accordance with all local, Provincial or Federal regulations.
--	--

[Back to Top](#)**SECTION 14: TRANSPORT INFORMATION**


<b>Canadian TDG UN Number:</b>	1824
<b>UN Proper Shipping Name:</b>	SODIUM HYDROXIDE SOLUTION
<b>Transport Hazard Class(es):</b>	8
<b>Packing Group:</b>	II
<b>Environmental Hazards:</b>	Not available.
<b>Special Precautions for User:</b>	Not available.
<b>Additional Information:</b>	Not available.

[Back to Top](#)**PREPARED BY:**

Regulatory Division  
Project Clean Inc.  
(formerly Maxim Chemical International Inc.)

**LAST UPDATE:**

2020-05-14

SECTION 15: REGULATORY INFORMATION									
<p><b>HAZARD RATING INFORMATION</b></p> <p>4 = Extreme 3 = High 2 = Moderate 1 = Slight 0 = Insignificant</p>	<p style="text-align: center;"><b>HMIS</b></p> <table border="1" style="margin-left: auto; margin-right: auto;"> <tr> <td style="background-color: #0056b3; color: white; text-align: center;">3</td> <td style="background-color: #0056b3; color: white;">Health</td> </tr> <tr> <td style="background-color: #ff0000; color: white; text-align: center;">0</td> <td style="background-color: #ff0000; color: white;">Flammability</td> </tr> <tr> <td style="background-color: #ffff00; text-align: center;">0</td> <td style="background-color: #ffff00;">Reactivity</td> </tr> <tr> <td style="text-align: center;">C</td> <td>Personal protection</td> </tr> </table> <p style="text-align: center;">C = Safety Glasses + Gloves + Apron</p>	3	Health	0	Flammability	0	Reactivity	C	Personal protection
3	Health								
0	Flammability								
0	Reactivity								
C	Personal protection								
<p><b>HMIS Protection Group C</b></p>									
<p>All pertinent hazard information has been provided in this SDS, per the requirements of the U.S. Federal Occupational Safety and Health Administration Standard (29 CFR 1910.1200), U.S. State equivalent Standards, and the Canadian Workplace Hazardous Materials Identification System Standards (CPR 4).</p>									

[Back to Top](#)

SECTION 16: OTHER INFORMATION	
ACRONYM LIST	
<b>ACGIH</b>	American Conference of Governmental Industrial Hygienists
<b>ATE</b>	Acute Toxicity Estimate
<b>CAS</b>	Chemical Abstracts Service
<b>CFR</b>	Code of Federal Regulations
<b>DSL/NDSL</b>	Domestic Substances List/ Non-domestic Substance List
<b>EC<sub>50</sub></b>	Half maximal effective concentration
<b>HMIS</b>	Hazardous Materials Identification System
<b>IARC</b>	International Agency for Research on Cancer
<b>LC<sub>50</sub></b>	Lethal concentration, 50%
<b>LD<sub>50</sub></b>	Lethal dose, 50%
<b>MSHA</b>	Mine Safety and Health Administration
<b>N/A</b>	Not Available

**PREPARED BY:**

Regulatory Division  
Project Clean Inc.  
(formerly Maxim Chemical International Inc.)

**LAST UPDATE:**

2020-05-14

SECTION 16: OTHER INFORMATION	
<b>NIOSH</b>	The National Institute for Occupational Safety and Health
<b>N.O.S.</b>	Not Otherwise Specified
<b>NTP</b>	National Toxicology Program
<b>OSHA</b>	Occupational Safety and Health Administration
<b>PEL</b>	Permissible Exposure Limit
<b>PNOC</b>	Particulates not otherwise classified
<b>P<sub>ow</sub></b>	Partition Coefficient Octanol: Water
<b>SDS</b>	Safety Data Sheets
<b>STOT – SE</b>	Specific Target Organ Toxicity – Single Exposure
<b>STOT – RE</b>	Specific Target Organ Toxicity – Repeated Exposure
<b>TDG</b>	Transportation of Dangerous Goods
<b>TLV</b>	Threshold Limit Value
<b>UN</b>	United Nations
<b>VOCs</b>	Volatile Organic Compounds
<b>WEL</b>	Workplace Exposure Limit
<b>WHMIS</b>	Workplace Hazardous Materials Information System
<b>WHMIS</b>	Workplace Hazardous Materials Information System

It is the responsibility of the user to provide a safe workplace, using the health and safety information contained herein as a guide. Project Clean Inc. (formerly Maxim Chemical International Inc.) will accept no liability for damages or loss incurred from the improper handling and use of this product.

The information provided in the Safety Data Sheet has been obtained from current sources and is believed to be reliable.