




## Safety Data Sheet Sections

SECTION 1: IDENTIFICATION .....	2
SECTION 2: HAZARD IDENTIFICATION.....	2
PRECAUTIONARY STATEMENTS .....	2
SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS.....	3
SECTION 4: FIRST-AID MEASURES.....	3
SECTION 5: FIRE-FIGHTING MEASURES.....	4
SECTION 6: ACCIDENTAL RELEASE MEASURES .....	4
SECTION 7: HANDLING AND STORAGE .....	5
SECTION 8: EXPOSURE CONTROLS / PERSONAL PROTECTION .....	5
EXPOSURE LIMITS: .....	5
INDIVIDUAL PROTECTION MEASURES / PERSONAL PROTECTIVE EQUIPMENT.....	5
SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES .....	5
SECTION 10: STABILITY AND REACTIVITY.....	6
SECTION 11: TOXICOLOGICAL INFORMATION .....	6
SECTION 12: ECOLOGICAL INFORMATION.....	7
SECTION 13: DISPOSAL CONSIDERATIONS.....	7
SECTION 14: TRANSPORT INFORMATION.....	7
SECTION 15: REGULATORY INFORMATION.....	7
SECTION 16: OTHER INFORMATION .....	8
ACRONYM LIST .....	8

SECTION 1: IDENTIFICATION	
<b>Product Trade Name:</b>	Promax Liquid Pre-Soak
<b>Recommended Use:</b>	Chlorinated dish pre-soak
<b>Restrictions on Use:</b>	For Food Plant, Industrial and Institutional use only
<b>Manufacturer:</b>	Project Clean Inc. 1607 Derwent Way, Delta, B.C. Canada V3M 6K8 <a href="tel:800-663-9925">800-663-9925</a>
<b>Emergency Phone Number/ 24-Hour Number:</b>	<b>Canada:</b> Canutec <a href="tel:613-996-6666">613-996-6666</a> <b>U.S.A.:</b> Chemtrec <a href="tel:800-424-9300">800-424-9300</a>

SECTION 2: HAZARD IDENTIFICATION	
<b>Physical Hazards:</b>	CORROSIVE TO METALS – Category 1
<b>Health Hazards:</b>	SKIN CORROSION/IRRITATION – Category 1
	EYE DAMAGE/IRRITATION – Category 1
<b>Label Elements:</b>	
<b>Signal word:</b>	Danger
<b>Hazard Statement:</b>	H290 May be corrosive to metals.
	H314 Causes severe skin burns and eye damage.
	H318 Causes serious eye damage.
PRECAUTIONARY STATEMENTS	
<b>Prevention:</b>	P234 Keep only in original packaging.
	P260 Do not breathe dusts or mists.
	P264 Wash hands or affected area thoroughly after handling.
	P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.
<b>Responses:</b>	P390 Absorb spillage to prevent material damage.
	P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
	P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].
	P363 Wash contaminated clothing before reuse.
	P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

SECTION 2: HAZARD IDENTIFICATION	
	P310 Immediately call a POISON CENTER/doctor/physician.
	P321 Specific treatment (see supplemental first aid information on this label).
	P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
<b>Storage:</b>	P406 Store in a corrosion resistant container with a resistant inner liner.
	P405 Store locked up.
<b>Disposal:</b>	P501 Dispose of contents/ container to an approved waste disposal plant.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS		
Ingredient	Approx. Wt.%	CAS Number
Potassium Hydroxide	5-10	1310-58-3
Sodium Hypochlorite	1-5	7681-52-9

SECTION 4: FIRST-AID MEASURES	
<b>Inhalation:</b>	Can release corrosive chlorine gas. Immediately remove the affected victim to fresh air. If symptoms persist, obtain medical attention. Symptoms of pulmonary edema can be delayed up to 48 hours of exposure.
<b>Skin Contact:</b>	Flood area with cool water for at least 20 minutes or until help arrives. Make sure water doesn't flow onto another part of the person's body or onto you. Don't use a strong stream of water, if possible. As you flush the burn (not before), remove jewelry or articles of clothing with chemical on them, unless they're stuck to the person's body. Don't try to neutralize the burn with acid or alkali. This could cause a chemical reaction that worsens the burn. Don't put antibiotic ointment on the burn.
<b>Eye Contact:</b>	Have the person immediately rinse the eye or eyes under a faucet, in a gentle shower, or with a clean container of water. Keep the person's face so that the injured eye is down and to the side. Avoid spraying a high-pressure water stream into the eye or eyes. Flush with lukewarm water for 15 to 30 minutes. For severe burns, continue flushing until you see a doctor, or you arrive in an emergency room. The person should keep the eye open as wide as possible. Wash the person's hands thoroughly to make sure no chemical is still on them. Flush the eye to remove contact lenses. If they do not come out, try to gently remove them AFTER flushing. Do not rub the eye or place a bandage over the eye. While waiting for medical care, have the person wear sunglasses to decrease light sensitivity.

**SECTION 4: FIRST-AID MEASURES**

<b>Ingestion:</b>	Do not induce vomiting. If the victim is fully conscious, give plenty of clean water to drink to dilute product. Never give anything by mouth if victim is unconscious, is rapidly losing consciousness, or is convulsing. Call a Physician.
-------------------	--

**If irritation occurs or persists, get medical attention.**

**SECTION 5: FIRE-FIGHTING MEASURES**

<b>Extinguishing Media:</b>	Water fog, alcohol foam, or dry chemical. Do not use dry chemical fire extinguishing agents containing ammonium compounds (such as some A:B:C agents), since explosive compound can be formed.
<b>Flammability:</b>	Not flammable.
<b>Flash Point:</b>	Not flammable.
<b>Special Firefighting Procedures:</b>	Wear NIOSH/MSHA approved, self-contained breathing apparatus for firefighting situation. Use water spray to cool all nearby fire exposed surfaces.
<b>Unusual Fire / Explosion Hazards:</b>	Closed containers exposed to heat may explode. Spilled material may cause floor slippery. May react with zinc, aluminum, tin and other active metals liberating flammable hydrogen gas. Dilution in water evolves large amounts of heat. Reacts with ethyleneimine, primary amines, urea, ammonium salts, methanol to form explosives.
<b>Hazardous Decomposition Products:</b>	Thermal decomposition products are toxic and may include oxide of chlorine, potassium and sodium.

**SECTION 6: ACCIDENTAL RELEASE MEASURES**

<b>Environmental Protection Precautions:</b>	Do not release to the environment or water source.
<b>Steps to be Taken in Case Material is Released or Spilled:</b>	<p>Wear protective equipment. Soak up spills with absorbents, then dispose of in an appropriate waste container. Keep material away from sewers. Reuse if possible. Otherwise dispose recovered material in accordance with all local, Provincial or Federal regulations.</p> <p>Small spills of sodium hypochlorite solutions can be broken down by covering it with a sodium thiosulfate, sodium metabisulfite or ferrous salt. Diluted sulphuric acid could be added to speed up the reaction. Transfer the mixture into a large container of water and neutralize mixture with soda ash.</p>

**PREPARED BY:**

Regulatory Division  
Project Clean Inc.  
(formerly Maxim Chemical International Inc.)

**LAST UPDATE:**

2019-10-19

**SECTION 7: HANDLING AND STORAGE**

<b>Steps to be Taken in Case Material is Released or Spilled:</b>	Use good industrial hygiene. Do not get in eyes, on skin or on clothing. Avoid breathing dust. Store in a cool, dry place away from incompatibles. Keep container closed when not in use. Keep out of reach of children. Store at temperatures below 30°C (86°F) and above 5°C (41°F). Do not store in metal containers.
---	--

**SECTION 8: EXPOSURE CONTROLS / PERSONAL PROTECTION****EXPOSURE LIMITS:**

OSHA (PEL): N/A	ACGIH TLV: N/A	Other exposure limit: N/A
<b>Appropriate Engineering Controls:</b>	Good general ventilation.	
<b>INDIVIDUAL PROTECTION MEASURES / PERSONAL PROTECTIVE EQUIPMENT</b>		
<b>Gloves:</b>	Non-permeable gloves (rubber, nitrile) recommended.	
<b>Masks/Goggles:</b>	Use chemical goggles or safety glasses.	
<b>Respirator:</b>	Good general ventilation or local exhaust ventilation for spraying and misting in confined areas.	
<b>Apron:</b>	Rubber/PVC aprons when skin contact may occur.	
<b>Boots:</b>	Rubber boots.	
<b>Other Protective Equipment:</b>	Eye wash, safety shower and full protective clothing recommended in the immediate work area.	

**SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

<b>Appearance:</b>	Clear, light yellow colour
<b>Odour:</b>	Pungent, chlorine odour
<b>Odour threshold:</b>	N/A
<b>pH:</b>	>13
<b>Melting point/Freezing point:</b>	N/A
<b>Initial boiling point and boiling range:</b>	N/A
<b>Flash Point:</b>	>100°C
<b>Evaporation Rate (Water=1):</b>	N/A
<b>Flammability:</b>	Not flammable
<b>Upper/Lower flammability or explosive limits:</b>	None
<b>Vapor pressure:</b>	N/A

**PREPARED BY:**

Regulatory Division  
 Project Clean Inc.  
 (formerly Maxim Chemical International Inc.)

**LAST UPDATE:**

2019-10-19

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES	
Vapor density:	N/A
Relative density/Specific gravity (Water = 1):	1.14 @ 20°C
Solubility(ies):	Soluble in water
Partition coefficient: n-octanol/water:	N/A
Auto-ignition temperature:	Not flammable
Decomposition temperature:	N/A
Viscosity:	N/A
VOCs%:	N/A

SECTION 10: STABILITY AND REACTIVITY	
Reactivity:	N/A
Chemical stability:	Unstable under normal storage conditions. Sodium hypochlorite solution decompose slowly. Decomposition accelerated by heat (above 40°C) and light.
Possibility of hazardous reactions:	Avoid contact with acid or ammonia.
Conditions to avoid:	Temperatures above 30°C (86°F) and below 5°C (41°F). Avoid contact with strong reducing agents, organic compounds, Lewis or mineral acid, methanol acid, ammonia, urea. Avoid sunlight.
Incompatibility:	Incompatible with acid, nickel, tin, copper, manganese, iron, ammonia, urea and other organic compounds.
Hazardous Decomposition Products:	Chlorine gas, oxide of sodium. Hydrochloric acid.


SECTION 11: TOXICOLOGICAL INFORMATION	
Likely routes of exposure:	Ingestion, skin and eye contact.
Symptoms:	Corrosive to eyes and skin. May cause productive cough, running nose, redness, pain and drying and cracking of skin. Acute exposure may cause irritation of nose, throat and respiratory tract.
Acute Toxicity Estimates:	Oral >2000 mg/kg, dermal >2000 mg/kg
Carcinogenicity:	Hypochlorite salts are listed as Group 3 Carcinogen by IARC.
Isolated cases of allergic skin reactions have been reported following handling of sodium hypochlorite solutions. However, the cases are insufficiently documented and affected persons having multiple sensitization. In any case, the number of cases is so small in the context of the extensive use of	

SECTION 11: TOXICOLOGICAL INFORMATION	
sodium hypochlorite solutions in industry and in the home that an allergenic effect is assumed not to occur.	

SECTION 12: ECOLOGICAL INFORMATION	
N/A	

SECTION 13: DISPOSAL CONSIDERATIONS	
<b>Recommended Waste Disposal Methods:</b>	Reuse if possible. Otherwise dispose recovered material in accordance with all local, Provincial or Federal regulations.

SECTION 14: TRANSPORT INFORMATION	
<b>Canadian TDG UN Number:</b>	3266
<b>UN Proper Shipping Name:</b>	CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (Potassium Hydroxide, Sodium Hypochlorite)
<b>Transport Hazard Class(es):</b>	8
<b>Packing Group:</b>	III

SECTION 15: REGULATORY INFORMATION									
<p><b>HAZARD RATING INFORMATION</b></p> <p>4 = Extreme 3 = High 2 = Moderate 1 = Slight 0 = Insignificant</p>	<p style="text-align: center;"><b>HMIS</b></p> <table border="1" style="margin-left: auto; margin-right: auto;"> <tr> <td style="background-color: #0070C0; color: white; text-align: center;">3</td> <td style="background-color: #0070C0; color: white;">Health</td> </tr> <tr> <td style="background-color: #FF0000; color: white; text-align: center;">0</td> <td style="background-color: #FF0000; color: white;">Flammability</td> </tr> <tr> <td style="background-color: #FFFF00; text-align: center;">0</td> <td style="background-color: #FFFF00;">Reactivity</td> </tr> <tr> <td style="text-align: center;">C</td> <td>Personal protection</td> </tr> </table> <p style="text-align: center;">A=Gloves B=Goggles &amp; Gloves C=Goggles, Gloves, &amp; Apron</p>	3	Health	0	Flammability	0	Reactivity	C	Personal protection
3	Health								
0	Flammability								
0	Reactivity								
C	Personal protection								
<p><b>HMIS Protection Group C</b></p>									
<p>All pertinent hazard information has been provided in this SDS, per the requirements of the U.S. Federal Occupational Safety and Health Administration Standard (29 CFR 1910.1200), U.S. State equivalent Standards, and the Canadian Workplace Hazardous Materials Identification System Standards (CPR 4).</p>									

<b>SECTION 16: OTHER INFORMATION</b>	
<b>ACRONYM LIST</b>	
<b>ACGIH</b>	American Conference of Governmental Industrial Hygienists
<b>CFR</b>	Code of Federal Regulations
<b>DSL/NDSL</b>	Domestic Substances List/ Non-domestic Substance List
<b>HMIS</b>	Hazardous Materials Identification System
<b>IARC</b>	International Agency for Research on Cancer
<b>MSHA</b>	Mine Safety and Health Administration
<b>N/A</b>	Not Available
<b>NIOSH</b>	The National Institute for Occupational Safety and Health
<b>NTP</b>	National Toxicology Program
<b>OSHA</b>	Occupational Safety and Health Administration
<b>PEL</b>	Permissible Exposure Limit
<b>SDS</b>	Safety Data Sheets
<b>STOT – SE</b>	Specific Target Organ Toxicity – Single Exposure
<b>STOT – RE</b>	Specific Target Organ Toxicity – Repeated Exposure
<b>TDG</b>	Transportation of Dangerous Goods
<b>TLV</b>	Threshold Limit Value
<b>UN</b>	United Nations
<b>VOCs</b>	Volatile Organic Compounds
<b>WHMIS</b>	Workplace Hazardous Materials Information System

It is the responsibility of the user to provide a safe workplace, using the health and safety information contained herein as a guide. Project Clean Inc. (formerly Maxim Chemical International Inc.) will accept no liability for damages or loss incurred from the improper handling and use of this product.

The information provided in the Safety Data Sheet has been obtained from current sources and is believed to be reliable.